

## REFERENCES

**Note:** The references listed below refer to the numerical superscripts included in the [March-April 2005](#) issue of [The Q-Net™ Monthly](#) as well as some other articles and blogs.

### References

1. Schoch OD, Pfyffer GE, Buhl D, et al. False-positive Mycobacterium tuberculosis culture revealed by restriction fragment length polymorphism analysis. *Infection* 2003 Jun;31(3):189-91.
2. Bonsu OA, Laing E, Akanmori BD. Prevalence of tuberculosis in cattle in the Dangme-West district of Ghana, public health implications. *Acta Trop*. 2000 Jul 21;76(1):9-14.
3. Centers for Disease Control and Prevention (CDC). Tuberculosis outbreak in a community hospital--District of Columbia, 2002. *MMWR Morb Mortal Wkly Rep*. 2004 Mar 19;53(10):214-6.
4. Keijman J, Tjhie J, Olde Damink S, et al. Unusual nosocomial transmission of Mycobacterium tuberculosis. *Eur J Clin Microbiol Infect Dis*. 2001 Nov;20(11):808-9.
5. Agerton T, Valway S, Gore B, et al. Transmission of a highly drug-resistant strain (strain W1) of Mycobacterium tuberculosis. Community outbreak and nosocomial transmission via a contaminated bronchoscope. *JAMA*. 1997 Oct 1;278(13):1073-7.
6. Katoch VM. Infections due to non-tuberculous mycobacteria (NTM). *Indian J Med Res*. 2004 Oct;120(4):290-304.
7. Bearman G, Vaamonde C, Larone D, et al. Pseudo-outbreak of multidrug-resistant Mycobacterium tuberculosis associated with presumed laboratory processing contamination. *Infect Control Hosp Epidemiol*. 2002 Oct;23(10):620-2.
8. Bryce EA, Walker M, Bevan C, Smith JA. Contamination of bronchoscopes with Mycobacterium tuberculosis. *Can J Infect Control*. 1993 Summer;8(2):35-6.
9. Centers for Disease Control and Prevention (CDC). Bronchoscopy-Related Infections and Pseudoinfections -- New York, 1996 and 1998. *July 09, 1999*;48(26):557-560.  
<http://www.cdc.gov/epo/mmwr/preview/mmwrhtml/mm4826a1.htm>
10. Chang CL, Kim HH, Son HC, et al. False-positive growth of Mycobacterium tuberculosis attributable to laboratory contamination confirmed by restriction fragment length polymorphism analysis. *Int J Tuberc Lung Dis*. 2001 Sep;5(9):861-7.
11. Cronin W, Rodriguez E, Valway S, et al. Pseudo-outbreak of tuberculosis in an acute-care general hospital: epidemiology and clinical implications. *Infect Control Hosp Epidemiol*. 1998 May;19(5):345-7.

12. de C Ramos M, Soini H, Roscanni GC, et al. Extensive cross-contamination of specimens with *Mycobacterium tuberculosis* in a reference laboratory. *J Clin Microbiol*. 1999 Apr;37(4):916-9.
13. Larson JL, Lambert L, Stricof RL, et al. Potential nosocomial exposure to *Mycobacterium tuberculosis* from a bronchoscope. *Infect Control Hosp Epidemiol*. 2003 Nov;24(11):825-30.
14. Michele TM, Cronin WA, Graham NM, et al. Transmission of *Mycobacterium tuberculosis* by a fiberoptic bronchoscope. Identification by DNA fingerprinting. *JAMA*. 1997 Oct 1;278(13):1093-5.
15. Pappas SA, Schaff DM, Dicostango MB, et al. Contamination of flexible fiber optic bronchoscopes. *Am Rev Respir Dis* 1983;127(3):391-92.
16. Ramsey AH, Oemig TV, Davis JP, et al. An outbreak of bronchoscopy-related *Mycobacterium tuberculosis* infections due to lack of bronchoscope leak testing. *Chest*. 2002 Mar;121(3):976-81.
17. Segal-Maurer S, Kreiswirth BN, Burns JM, et al. *Mycobacterium tuberculosis* specimen contamination revisited: the role of laboratory environmental control in a pseudo-outbreak. *Infect Control Hosp Epidemiol*. 1998 Feb;19(2):101-5.
18. Singh N, Belen O, Leger MM, et al. Cluster of *Trichosporon mucoides* in children associated with a faulty bronchoscope. *Pediatr Infect Dis J*. 2003 Jul;22(7):609-12.
19. Southwick KL, Hoffmann K, Ferree K, et al. Cluster of tuberculosis cases in North Carolina: possible association with atomizer reuse. *Am J Infect Control*. 2001 Feb;29(1):1-6.
20. Vannier AM, Tarrand JJ, Murray PR. *Mycobacterial* cross contamination during radiometric culturing. *J Clin Microbiol*. 1988 Sep;26(9):1867-8.
21. Wheeler PW, Lancaster D, Kaiser AB. Bronchopulmonary cross-colonization and infection related to *mycobacterial* contamination of suction valves of bronchoscopes. *J Infect Dis*. 1989 May;159(5):954-8.
22. Wilson SJ, Everts RJ, Kirkland KB, Sexton DJ. A pseudo-outbreak of *Aureobasidium* species lower respiratory tract infections caused by reuse of single-use stopcocks during bronchoscopy. *Infect Control Hosp Epidemiol*. 2000 Jul;21(7):470-2.
23. Phillips MS, von Reyn CF. Nosocomial infections due to nontuberculous *mycobacteria*. *Clin Infect Dis*. 2001 Oct 15;33(8):1363-74.
24. Lalande V, Barbut F, Varnerot A, Febvre M, Nesa D, Wadel S, Vincent V, Petit JC. Pseudo-outbreak of *Mycobacterium gordonae* associated with water from refrigerated fountains. *J Hosp Infect*. 2001 May;48(1):76-9.
25. Kressel AB, Kidd F. Pseudo-outbreak of *Mycobacterium chelonae* and *Methylobacterium mesophilicum* caused by contamination of an

automated endoscopy washer. *Infect Control Hosp Epidemiol*. 2001 Jul;22(7):414-8.

26. Gubler JG, Salfinger M, von Graevenitz A. Pseudoepidemic of nontuberculous mycobacteria due to a contaminated bronchoscope cleaning machine. Report of an outbreak and review of the literature. *Chest*. 1992 May;101(5):1245-9.

27. Cox R, deBorja K, Bach MC. A pseudo-outbreak of *Mycobacterium chelonae* infections related to bronchoscopy. *Infect Control Hosp Epidemiol*. 1997 Feb;18(2):136-7.

28. Sniadack DH, Ostroff SM, Karlix MA, et al. A nosocomial pseudo-outbreak of *Mycobacterium xenopi* due to a contaminated potable water supply: lessons in prevention. *Infect Control Hosp Epidemiol*. 1993 Nov;14(11):636-41.

29. Srinivasan A, Wolfenden LL, Song X, et al. Bronchoscope reprocessing and infection prevention and control: bronchoscopy-specific guidelines are needed. *Chest*. 2004;125:307-314.

30. Langevin PB, Rand KH, Layon AJ. The potential for dissemination of *Mycobacterium tuberculosis* through the anesthesia breathing circuit. *Chest*. 1999 Apr;115(4):1107-14.)

31. Ostrowsky B. Endoscopes - Current practices and controversies in infection control. *Seminars Infect Control* 2001;1(4):267-9.

32. Wang HC, Liaw YS, Yang PC, et al. A pseudoepidemic of *Mycobacterium chelonae* infection caused by contamination of a fiberoptic bronchoscope suction channel. *Eur Respir J*. 1995 Aug;8(8):1259-62.

33. Bennett SN, Peterson DE, Johnson DR, et al. Bronchoscopy-associated *Mycobacterium xenopi* pseudoinfections. *Am J Respir Crit Care Med*. 1994 Jul;150(1):245-50.

34. Maloney S, Welbel S, Daves B, et al. *Mycobacterium abscessus* pseudoinfection traced to an automated endoscope washer: utility of epidemiologic and laboratory investigation. *J Infect Dis*. 1994 May;169(5):1166-9.

35. Fraser VJ, Jones M, Murray PR, Medoff G, Zhang Y, Wallace RJ Jr. Contamination of flexible fiberoptic bronchoscopes with *Mycobacterium chelonae* linked to an automated bronchoscope disinfection machine. *Am Rev Respir Dis*. 1992 Apr;145(4 Pt 1):853-5.)

36. Stine TM, Harris AA, Levin S, et al. A pseudoepidemic due to atypical mycobacteria in a hospital water supply. *JAMA*. 1987 Aug 14;258(6):809-11.

37. Hedderwick SA, Bonilla HF, Barg NL, et al. *Mycobacterium avium* complex endocarditis: spurious diagnosis resulting from laboratory cross contamination. *Diagn Microbiol Infect Dis*. 1997 Apr;27(4):147-50.

38. Lai KK, Brown BA, Westerling JA, Fontecchio SA, Zhang Y, Wallace RJ Jr. Long-term laboratory contamination by *Mycobacterium abscessus*

resulting in two pseudo-outbreaks: recognition with use of random amplified polymorphic DNA (RAPD) polymerase chain reaction. Clin Infect Dis. 1998 Jul;27(1):169-75.

39. El Sahly HM, Septimus E, Soini H, Septimus J, Wallace RJ, Pan X, Williams-Bouyer N, Musser JM, Graviss EA. Mycobacterium simiae pseudo-outbreak resulting from a contaminated hospital water supply in Houston, Texas. Clin Infect Dis. 2002 Oct 1;35(7):802-7. Epub 2002 Sep 10.

40. Labombardi VJ, O'brien AM, Kislak JW. Pseudo-outbreak of Mycobacterium fortuitum due to contaminated ice machines. Am J Infect Control. 2002 May;30(3):184-6.

41. Conger NG, O'Connell RJ, Laurel VL, et al. Mycobacterium simiae outbreak associated with a hospital water supply. Infect Control Hosp Epidemiol. 2004 Dec;25(12):1050-5.

42. Kline S, Cameron S, Streifel A, et al. An outbreak of bacteremias associated with Mycobacterium mucogenicum in a hospital water supply. Infect Control Hosp Epidemiol. 2004 Dec;25(12):1042-9.

43. Meyers H, Brown-Elliott BA, Moore D, et al. An outbreak of Mycobacterium chelonae infection following liposuction. Clin Infect Dis. 2002 Jun 1;34(11):1500-7.

44. Lavy A, Rusu R, Shaheen S. Mycobacterium avium-intracellulare in clinical specimens: etiological factor or contaminant? Isr J Med Sci. 1990 Jul;26(7):374-8.

45. von Reyn CF, Maslow JN, Barber TW, Falkinham JO 3rd, Arbeit RD. Persistent colonisation of potable water as a source of Mycobacterium avium infection in AIDS. Lancet. 1994 May 7;343(8906):1137-41.

46. Tobin-D'Angelo MJ, Blass MA, del Rio C, et al. Hospital water as a source of Mycobacterium avium complex isolates in respiratory specimens. J Infect Dis. 2004 Jan 1;189(1):98-104.

47. Silva CV, Magalhaes VD, Pereira CR, et al. Pseudo-outbreak of Pseudomonas aeruginosa and Serratia marcescens related to bronchoscopes. Infect Control Hosp Epidemiol. 2003 Mar;24(3):195-7.

48. Kirschke DL, Jones TF, Craig AS, et al. Pseudomonas aeruginosa and Serratia marcescens contamination associated with a manufacturing defect in bronchoscopes. N Engl J Med. 2003 Jan 16;348(3):214-20.

49. Kolmos HJ, Lerche A, Kristoffersen K, et al. Pseudo-outbreak of pseudomonas aeruginosa in HIV-infected patients undergoing fiberoptic bronchoscopy. Scand J Infect Dis. 1994;26(6):653-7.

50. Sorin M, Segal-Maurer S, Mariano N, et al. Nosocomial transmission of imipenem-resistant Pseudomonas aeruginosa following bronchoscopy associated with improper connection to the Steris System 1 processor. Infect Control Hosp Epidemiol. 2001 Jul;22(7):409-13.

51. Blanc DS, Parret T, Janin B, Raselli P, Francioli P. Nosocomial infections and pseudoinfections from contaminated bronchoscopes: two-

- year follow up using molecular markers. *Infect Control Hosp Epidemiol*. 1997 Feb;18(2):134-6. Blanc DS, Parret T, Janin B,
52. Schelenz S, French G. An outbreak of multidrug-resistant *Pseudomonas aeruginosa* infection associated with contamination of bronchoscopes and an endoscope washer-disinfector. *J Hosp Infect*. 2000 Sep;46(1):23-30.
53. Kobayashi Y, Takano T, Hirayama N, et al. [Isolation of nontuberculous mycobacteria during colonoscopy.] *Kekkaku*. 1995 Nov;70(11):629-34.
54. Nelson DB. Infectious disease complications of GI endoscopy: part II, exogenous infections. *Gastrointest Endosc*. 2003 May;57(6):695-711.
55. Spach DH, Silverstein FE, Stamm WE. Transmission of infection by gastrointestinal endoscopy and bronchoscopy. *Ann Intern Med*. 1993 Jan 15;118(2):117-28. <http://www.annals.org/cgi/content/full/118/2/117>
56. von Reyn CF, Arbeit RD, Horsburgh CR, et al. Sources of disseminated *Mycobacterium avium* infection in AIDS. *J Infect*. 2002 Apr;44(3):166-70.
57. Wallace RJ Jr. Nontuberculous mycobacteria and water: a love affair with increasing clinical importance. *Infect Dis Clin North Am*. 1987 Sep;1(3):677-86.
58. Centers for Disease Control and Prevention (CDC). Misdiagnoses of Tuberculosis Resulting From Laboratory Cross-Contamination of *Mycobacterium Tuberculosis* Cultures --- New Jersey, 1998. *MMWR* May 19, 2000; 49(19):413-416.
59. Muscarella LF. The importance of bronchoscope reprocessing guidelines: raising the standard of care. *Chest*. 2004 Sep;126(3):1001-2; author reply 1002-3.
60. Le Dantec C, Duguet JP, Montiel A, Dumoutier N, Dubrou S, Vincent V. Chlorine disinfection of atypical mycobacteria isolated from a water distribution system. *Appl Environ Microbiol*. 2002 Mar;68(3):1025-32. [www.pubmedcentral.nih.gov/articlerender.fcgi?artid=123737](http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=123737)
61. Sermet-Gaudelus I, Le Bourgeois M, Pierre-Audigier C, et al. *Mycobacterium abscessus* and Children with Cystic Fibrosis. *Emerging Infectious Diseases* 2003 Dec;9(12):1587-91. <http://www.cdc.gov/ncidod/EID/vol9no12/pdfs/02-0774.pdf>
62. Muscarella LF. Contribution of tap water and environmental surfaces to nosocomial transmission of antibiotic-resistant *Pseudomonas aeruginosa*. *Infect Control Hosp Epidemiol* 2004 Apr;25(4):342-5.
63. Muscarella LF. Leading a horse to water: are crucial lessons in endoscopy and outbreak investigations being learned? *Infect Control Hosp Epidemiol* 2002 Jul;23(7):358-60; author reply 360.

64. Guidelines for Preventing the Transmission of Mycobacterium tuberculosis in Health-Care Facilities, 1994. MMWR 43(RR13);1-132.
65. Crockett M, King SM, Kitai I, Jamieson F, Richardson S, Malloy P, Yaffe B, Reynolds D, Hellmann J, Cutz E, Matlow A; Outbreak Investigation Team. Nosocomial transmission of congenital tuberculosis in a neonatal intensive care unit. Clin Infect Dis. 2004 Dec 1;39(11):1719-23. Epub 2004 Nov 10.
66. Food and Drug Administration and Centers for Disease Control and Prevention. (1999, September 10). Public Health Advisory: Infections from endoscopes inadequately reprocessed by an automated endoscope-reprocessing system. (1999, September 10). Rockville, MD. <http://www.fda.gov/cdrh/safety/endoreprocess.pdf>
67. Campagnaro RL, Teichtahl H, Dwyer B. A pseudoepidemic of Mycobacterium chelonae: contamination of a bronchoscope and autocleaner. Aust N Z J Med. 1994 Dec;24(6):693-5.
68. Kiely JL, Sheehan S, Cryan B, Bredin CP. Isolation of Mycobacterium chelonae in a bronchoscopy unit and its subsequent eradication. Tuber Lung Dis. 1995 Apr;76(2):163-7.
69. CDC. Pseudomonas pickettii colonization associated with a contaminated respiratory therapy solution - Illinois. MMWR Weekly September 30, 1983 / 32(38);495-6,501. (<http://www.cdc.gov/mmwr/preview/mmwrhtml/00000147.htm>)
70. Muscarella LF. Application of environmental sampling to flexible endoscope reprocessing: the importance of monitoring the rinse water. Infect Control Hosp Epidemiol 2002 May;23(5):285-9).
71. Rossetti R, Lencioni P, Innocenti F, Tortoli E. Pseudoepidemic from Mycobacterium gordonae due to a contaminated automatic bronchoscope washing machine. Am J Infect Control. 2002 May;30(3):196-7.
72. Food and Drug Administration, Center for Devices and Radiological Health. Guidance for Industry and FDA Reviewers: Content and Format of Premarket Notification [510(k)] Submissions for Liquid Chemical Sterilants/High Level Disinfectants. January 3, 2000. Accessed: <http://www.fda.gov/cdrh/ode/397.html>
73. Burman WJ, Stone BL, Reves RR, Wilson ML, Yang Z, El-Hajj H, Bates JH, Cave MD. The incidence of false-positive cultures for Mycobacterium tuberculosis. Am J Respir Crit Care Med. 1997 Jan;155(1):321-6.
74. Breese PE, Burman Wj, Hildred M, et al. The effect of changes in laboratory practices on the rate of false-positive cultures for Mycobacterium tuberculosis. Arch Pathol Lab Med 2001 Sep;125:1213-1216.
75. Corne P, Godreuil S, Jean-Pierre H, Jonquet O, Campos J, Jumas-Bilak E, Parer S, Marchandin H. Unusual implication of biopsy forceps in outbreaks of Pseudomonas aeruginosa infections and pseudo-infections related to bronchoscopy. J Hosp Infect. 2005 Sep;61(1):20-6.

76. Cetre JC, Nicolle MC, Salord H, Perol M, Tigaud S, David G, Bourjault M, Vanhems P. Outbreaks of contaminated broncho-alveolar lavage related to intrinsically defective bronchoscopes. *J Hosp Infect.* 2005 Sep;61(1):39-45.
77. Kauppinen J, Nousiainen T, Jantunen E, Mattila R, Katila ML. Hospital water supply as a source of disseminated *Mycobacterium fortuitum* infection in a leukemia patient. *Infect Control Hosp Epidemiol.* 1999 May;20(5):343-5.
78. CDC. Nosocomial Infection and Pseudoinfection from Contaminated Endoscopes and Bronchoscopes -- Wisconsin and Missouri. *MMWR Weekly* October 04, 1991;40(39):675-8.  
<http://www.cdc.gov/mmwr/preview/mmwrhtml/00015286.htm>
79. Alvarado CJ, Stolz SM, Maki DG. Nosocomial infections from contaminated endoscopes: a flawed automated endoscope washer. An investigation using molecular epidemiology. *Am J Med.* 1991 Sep 16;91(3B):272S-280S.
80. Muscarella LF. Disinfecting endoscopes immediately before the first patient of the day. *AORN J.* 2001 Jun;73(6):1159-63.
81. The Society of Gastroenterology Nurses and Associates. Standards of infection control in reprocessing of flexible gastrointestinal endoscopes. *Gastroenterol Nurs* 2000 Jul-Aug;23(4):172-9. Revised, 2005: [http://www.sgna.org/Resources/guidelines/guideline3\\_print.html](http://www.sgna.org/Resources/guidelines/guideline3_print.html)